

**Easilight RGB + CCT Lights** 

### Model:

### 1. Features

Using the widely adopted 2.4GHz wireless technology, with the low power consumption, long signal transmission and strong anti-interference potential that implies, this GU10 spotlight is a popular choice for both hotel lighting and home lighting.

It also boasts an auto-transmitting and auto-synchronising function.



16 million colours to choose from



Colour temperature adjustable



Dimmable brightness and saturation



2.4G RF wireless transmission technology



Signal transmitting and mode synchronisation



Remote control distance of 30m



Smartphone app control (with 2.4GHz gateway)



Support third party voice control (with 2.4GHz gateway)



DMX512 controllable (with compatible LED transmitter)

# 2. Dynamic Mode Table

#### **Dynamic Mode Table**


Number	Dynamic Mode	Brightness/Saturation/Speed
1	Mardi Gras	
2	Automatic Colour Change	
3	Sam	
4	Gemstone	
5	Twilight	Adjustable
6	America	
7	Fat Tuesday	
8	Party	
9	Slow Colour Splash	

# 3. Signal Transmitting

One light can transmit the signals from your remote control to another light, as long as the second light is within 30m. This means you have a theoretically limitless range for your lights.

# 4. Mode Synchronisation

Different lights can work synchronously even when they are started at different times, as long as they are lit by the same remote, under the same dynamic mode and within 30m of each other.



# 5. Linking/Unlinking Instructions

### **Linking Instructions**



Switch off the light, wait 10 seconds, then switch it on again.


When the light is on, short press the ON button 3 times within 3 seconds.

The light should now blink 3 times slowly to indicate a successful linking.




If the light does not blink slowly, the linking has not been successful. Please switch off the light and follow the above steps again.

### **Unlinking Instructions**







Switch off the light, wait 10 seconds, then switch it on again.

When the light is on, short press the ON button 5 times within 3 seconds.

The light should now blink 10 times quickly to indicate a successful unlinking.





If the light doesn't blink quickly, then the unlinking has not been successful. Please try again.

Note: If a light hasn't been linked yet, you won't need to unlink it.

# 6. Linking Your DMX512 LED Transmitter (sold separately)

Choose the zone for the light by pressing the "+" or "-" key. For example, CH12 means zone twelve.





### To Link

Switch off the light, wait 10 seconds, then switch it on again.

When the light is on, short press the "SET button 3 times within 3 seconds.

The light will then blink slowly 3 times.


### To Unlink

Switch off the light, wait 10 seconds, then switch it on again.

When the light is on, short press the "SET button 5 times within 3 seconds.

The light will then blink quickly 10 times.

# 7. DMX512 LED Transmitter Connection



# 8. QR Codes

If you want to learn how to pair your controller with a smartphone app, or with a third party voice control system, you can scan these QR codes to watch an instructional video.



Smartphone app control



Third party voice control

### 9. Attention

- 1. Please check whether the voltage of the power supply is in accordance with the light.

  Please also check the connection of the cathode and anode, or else you risk damage to the light.
- 2. Never connect wires with the power on.
- 3. Only turn on the power when the connection is correct and there is no risk of a short circuit.
- 4. Only professionals should dismantle this fitting directly.
- 5. Do not use this light in locations with a lot of metal or strong electromagnetic waves, as this will affect the remote distance.

### **Compatible With The Following Remotes (Sold Separately)**

















MS-F089

MS-F092

MS-F096

MS-F0B8

MS-F088

MS-00T3

MS-FYL1

MS-EZI-S2

# MIRAORSTONE

sales@mirrorstone.co.uk www.mirrorstonelighting.co.uk/ 86 Scudamore Road Leicester, LE3 1UQ +44 (0) 116 321 4121